## SEARCH REQUEST FORM

Search Topic: Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevent citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevent claim(s).  Please search for intervence  Seq ID No: 1 and 2  Thunks	-
Seq ID No 1 and 2	. 24
Thunks .	
Please rush Approved Defor	
STAFF USE ONLY  Date completed: 1/5/97 Search Site Vendors  Searcher: Str. IG  Germinal time: STN  Dapsed time: Pre-S  Dialog  Type of Search APS  Putime: N-A-Sequence SDC  Structure  STAFF USE ONLY  Vendors  AGA-Sequence SDC  Structure	

AN - 90-321987/43 XRAM- C90-139388

TI - DNA encoding TNF binding protein and TNF- receptor - used in tumour treatment and to understand mechanismsm to TNF action DC - B04 D16

PA - (BOEH ) BOEHRINGER INGELHEIM INT

IN - HAUPTMANN R, HIMMLER A, MAURERFOGY I, STRATOWA C

NP - 4

PN - EP-393438-A 90.10.24 (9043) DE3913101-A 90.10.31 (9045) DE3920282-A 91.01.03 (9102) J03164179-A 91.07.16 (9134) {JP}

LA - G

DS - AT BE CH DE DK ES FR GB GR IT LI LU NL SE

CT - (G) No-SR.Pub A3...9125 EP-308378 EP-162699 GB2218101 5.Jnl.Ref

PR - 89.06.21 89DE 920282 89.04.21 89DE-913101

AP - 90.04.06 90EP-106624 89.04.21 89DE-913101 89.06.21 89DE-920282 90.04.20 90JP-105102

IC - A61K-037/02 C07K-013/00 C12N-015/12 C12P-021/02 C12N-001/20 C12N-005/10 C07H-021/04 C12P-019/34

AB - (EP-393438)

DNA (I) coding for a tumour necrosis factor (TNF) receptor or fragment with a specified sequence in the figure is new. Also new are (1) DNA (II) encoding TNF binding proteins; (2) recombinant DNA molecules containing (I) or (II); (3) host organisms transformed with the recombinant mols.; and (4) polypeptides, (Al) and (A2), encoded by (I) o (II) respectively. (II) has a choice of 2 N-terminal sequences. Preferably the recombinant mols. are plasmids ADTNF-BP, pADTNF-R, pADBTNF-BP or pADBTNF-R. Al has the sequence in the figure.

USE/ADVANTAGE - The peptides are useful in pharmaceutical compositions for prophylaxis or treatment of human tumours and to understand the mechanisms of TNF action.

In an example, COs 7 cellse (10 power 6) in 80 mm petri dishes were transfected in RPM1-1640 medium with 10% head inactivated foetal calf serum, at 37 deg.C., in 5% CO2 following centrifugation, the supernatant was discarded and replaced with serum free medium. A further centrifugation step followed by addition of 1 ml medium as well as 250 micro g/ml DEAE dextran and 10 micro g plasmid DNA. Incubation for 40 minutes at 37 deg.C., washing with 10% calf serum and suspension in 5 ml medium with 100 micro gml chloroquin was carried out. The cells were shown to secrete TNF-BP. (50pp Dwg.No.1/9)